

**Purpose**

This Google Sheet is used to convey results of daily in-situ water quality monitoring during preparatory works with the Colbart for the Gulhifalhu Project.

**Frequency**

The sheet will be updated daily, before 10AM the following day.

One week of data will be kept online, to keep the sheet concise.

Once weekly, a compilation of 7 days of monitoring will be shared via e-mail with MNPI for records.

**Measurements**

Measurements are taken using a Eureka Manta Multiparameter probe.

The EIA requires measurements at the surface, at approximately 1 meter depth.

For completeness, two additional depths are measured; 'bottom' and 'mid-water'.

The 'bottom' measurement is taken at either:

- The maximum depth the probe will go to on a 30m cable (dependent on currents), or
- 90% of the water column if water depth is < 30m


The 'mid-water' measurement is taken at approximately 0.5 \* the 'bottom' depth

Eureka Manta Turbidity sensor has an accuracy of 2% of reading or 0.2 (<https://www.waterprobes.com/water-quality-sensor-specifications>).

Therefore, negative readings of up until -0.2 NTU indicate no turbidity.

**Locations**

The locations measured are as defined in the EIA, in Table 11.2B



22-06-2020 11:00 - 15:20		Depth	Temperature	pH	Conductivity	Turbidity
		m	°C	-	uS/cm	NTU
W2	Surface	1.1	29.7	7.03	53242	-0.08
	Mid-water	13.6	29.6	6.7	53201	-0.03
	Bottom	25.3	29.6	6.72	53158	-0.05
W5	Surface	0.9	29.5	7.34	44393	1.49
	Mid-water	7.5	29.5	7.28	53196	0.81
	Bottom	16.6	29.4	7.28	53236	0.49
W7	Surface	1.2	29.9	7.31	53322	-0.12
	Mid-water	12.2	29.8	7.25	53300	-0.11
	Bottom	24.8	29.8	7.36	53247	-0.11
W10	Surface	1.2	29.9	7.09	53288	-0.11
	Mid-water	12.2	29.8	7.1	53288	-0.11
	Bottom	23.6	29.8	7.21	53219	-0.11
W11	Surface	1.2	29.9	7.14	53262	-0.08
	Mid-water	13.2	29.8	7.08	53252	-0.1
	Bottom	25.8	29.8	7.05	53204	-0.08
W14	Surface	1.1	29.6	7.21	53084	0.25
	Mid-water	6.3	29.5	7.18	53097	0.47
	Bottom	14.4	29.5	7.11	53122	1.05
W15	Surface	1.2	29.6	7.37	53263	0
	Mid-water	12.8	29.6	7.28	53281	0.02
	Bottom	25.6	29.6	7.45	53257	0.06
W16	Surface	1.1	29.8	8.28	53383	-0.11
	Mid-water	8.5	29.8	8.32	53363	-0.1
	Bottom	18.9	29.8	8.28	53342	-0.06
W19	Surface	1.1	29.8	7.93	53411	-0.14
	Mid-water	11.3	29.6	7.89	53349	-0.11
	Bottom	22.1	29.6	7.92	53318	-0.11
W20	Surface	1	29.7	8.27	53413	-0.07
	Mid-water	11.7	29.7	8.28	53325	-0.11
	Bottom	22.7	29.7	8.35	53309	0.41
W25	Surface	1.1	29.6	8.85	53398	-0.06
	Mid-water	10.7	29.6	8.72	53397	-0.1
	Bottom	23.7	29.5	8.78	53360	-0.09
W26	Surface	1.4	29.6	8.23	53273	-0.07

	Mid-water	11.1	29.4	8.16	53209	-0.05
	Bottom	21.8	29.4	8.27	53185	-0.09
<b>W27</b>	Surface	1	29.5	8.29	53257	-0.13
	Mid-water	9.8	29.5	8.17	53229	-0.12
	Bottom	21.5	29.4	8.31	53195	-0.13
<b>W36</b>	Surface	1.1	29.7	8	53367	-0.14
	Mid-water	9.1	29.6	8.03	53345	-0.12
	Bottom	22.2	29.5	8.06	53311	-0.03
<b>W45</b>	Surface	1.3	29.6	7.93	53332	-0.13
	Mid-water	11	29.6	7.97	53329	-0.11
	Bottom	18.6	29.5	8.06	53299	-0.07
<b>W46</b>	Surface	1.3	29.6	8.51	53369	-0.08
	Mid-water	12.4	29.5	8.36	53323	-0.08
	Bottom	24.1	29.5	8.39	53297	-0.06
<b>W47</b>	Surface	1.3	29.5	8.18	53316	-0.04
	Mid-water	8.5	29.5	8.14	53287	0
	Bottom	20.7	29.4	8.26	53269	-0.02
<b>W51</b>	Surface	1.2	29.6	8.33	53273	-0.02
	Mid-water	11.5	29.6	8.34	53270	-0.05
	Bottom	22.6	29.6	8.48	53323	-0.03